



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ :

A61H 39/04

A1

(11) International Publication Number:

WO 00/23035

(43) International Publication Date:

27 April 2000 (27.04.00)

(21) International Application Number: PCT/US99/24183

(22) International Filing Date: 15 October 1999 (15.10.99)

(30) Priority Data:

09/177,215

22 October 1998 (22.10.98)

US

(71) Applicant (for all designated States except US): EAST WEST MEDICAL, L.L.P. [US/US]; 2750 Gale Road, Woodland, MN 55391 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): KRAMER, George, H. [US/US]; 5432 Picha Road, Minnetonka, MN 55345 (US).


(74) Agent: VIKSNINS, Ann, S.; Schwegman, Lundberg, Woessner & Kluth, P.O. Box 2938, Minneapolis, MN 55402 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

*With international search report.**Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.*

(54) Title: ACUPRESSURE DEVICE



(57) Abstract

The present invention discloses an acupressure device for use on a selected skin surface portion of a human body. The device comprises a thin flexible base sheet having a first side, a second side and a margin. The margin has at least a portion of its length shaped as an orienting margin, wherein the orienting margin is shaped to correspond to a shape on, or adjacent to, the selected skin surface portion when the base sheet is placed on the selected body surface. An adhesive layer is on the first side of the base sheet that is suitable for attaching the base sheet to the selected skin surface portion. There is at least one bead on the adhesive layer suitable for positioning against the selected body surface that will provide acupressure to at least a portion of the selected body surface when the acupressure patch is placed against the selected body surface.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		




FIG. 1




FIG. 2




FIG. 2a




FIG. 2b




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17c




FIG. 17b




FIG. 17a

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 99/24183

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61H39/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 022 189 A (BOXER) 10 May 1977 (1977-05-10) cited in the application column 1, line 10 - line 33; figures	1, 11, 13, 14
A	US 4 073 296 A (MCCALL) 26 July 1977 (1977-07-26) cited in the application abstract; figures	1, 11, 13, 14
A	US 4 098 277 A (MENDELL) 4 July 1978 (1978-07-04) cited in the application abstract; figures	1, 11, 13, 14
-/-		

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the International filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the International filing date but later than the priority date claimed

"T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"G" document member of the same patent family

Date of the actual completion of the International search

13 March 2000

Date of mailing of the International search report

21/03/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Jones, T

INTERNATIONAL SEARCH REPORT

Inter- national Application No
PCT/US 99/24183

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 100 050 A (BLUM) 8 February 1984 (1984-02-08) page 2, line 18 - line 26; figures abstract	1,11,13, 14
P,A	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 05, 31 May 1999 (1999-05-31) & JP 11 042268 A (APOLLO IRYOKI KK), 16 February 1999 (1999-02-16) abstract	1,11,13, 14

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/24183

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 15-16
because they relate to subject matter not required to be searched by this Authority, namely:
RULE 39,1(iv) PCT - Method for treatment of the human or animal body by therapy
2. ☒ Claims Nos.: 27
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
RULE 6.1(a) PCT - References to other parts of the international application.
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ N protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International Application No. PCT/ US 99/24183

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box 1.2

Claims NOS: 27

RULE 6.1(a) PCT - References to other parts of the international application.

The applicant's attention is drawn to the fact that, claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not to be the subject of an international preliminary examination (rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

Information on patent family members


International Application No

PCT/US 99/24183

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4022189 A	10-05-1977	US 3886939 A FR 2312230 A ZA 7602968 A	03-06-1975 24-12-1976 27-04-1977
US 4073296 A	14-02-1978	NONE	
US 4098277 A	04-07-1978	NONE	
EP 100050 A	08-02-1984	DE 3227505 A DE 3227506 A DE 3234339 A	26-01-1984 26-01-1984 10-05-1984
JP 11042268 A	16-02-1999	NONE	



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A61H 39/04	A1	(11) International Publication Number: WO 00/23035 (43) International Publication Date: 27 April 2000 (27.04.00)
(21) International Application Number: PCT/US99/24183 (22) International Filing Date: 15 October 1999 (15.10.99) (30) Priority Data: 09/177,215 22 October 1998 (22.10.98) US (71) Applicant (for all designated States except US): EAST WEST MEDICAL, L.L.P. [US/US]; 2750 Gale Road, Woodland, MN 55391 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): KRAMER, George, H. [US/US]; 5432 Picha Road, Minnetonka, MN 55345 (US). (74) Agent: VIKSNINS, Ann, S.; Schwegman, Lundberg, Woessner & Kluth, P.O. Box 2938, Minneapolis, MN 55402 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: ACUPRESSURE DEVICE  (57) Abstract <p>The present invention discloses an acupressure device for use on a selected skin surface portion of a human body. The device comprises a thin flexible base sheet having a first side, a second side and a margin. The margin has at least a portion of its length shaped as an orienting margin, wherein the orienting margin is shaped to correspond to a shape on, or adjacent to, the selected skin surface portion when the base sheet is placed on the selected body surface. An adhesive layer is on the first side of the base sheet that is suitable for attaching the base sheet to the selected skin surface portion. There is at least one bead on the adhesive layer suitable for positioning against the selected body surface that will provide acupressure to at least a portion of the selected body surface when the acupressure patch is placed against the selected body surface.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

ACUPRESSURE DEVICE

5 Field of the Invention

The present invention relates to an acupressure device, and, in particular, to an acupressure device having a shaped peripheral margin shaped to key to specific landmarks of the human body.

Background of the Invention

10 Acupressure, as with acupuncture, is a form of treatment for various conditions and maladies. Acupuncture is well known to eastern medical thought and practice, but only recently is introduced into western medicine. Acupuncture can be traced back at least 2,500 years as a form of medical treatment in China. The concept behind acupuncture is based on the premise there are patterns of
15 energy flow through the body that are essential for proper health. Imbalance or disruption of energy flow through any of these patterns is believed to be responsible for disease. Which pattern is disrupted, and where, influences which disease state is experienced by the afflicted person.

 The energy flow patterns through the body have been mapped
20 extensively and there are substantial numbers of points along the flow patterns where the energy flow is close to the skin surface. Using needles of various types, the acupuncturist is able to reach these points by placing the needles into the skin at these known points. The presence of the needle at that point alters the flow of energy, changing the dynamics in the energy flow. When done properly,
25 using the proper number and position of needles, acupuncture re-aligns the energy flow to one of balance and restoration of health.

 The pattern of energy flow disruption is identifiable to the type of disease that the patient presents with. The acupuncturist determines the ailment complained of which then identifies the energy flow imbalance. The energy
30 flow imbalance is then corrected by placing one or more needles into the appropriate points that are associated with the type of energy flow imbalance corresponding to the disease.

The National Institutes of Health Consensus Development Statement on Acupuncture, No. 107, November 3-5, 1997, concluded that acupuncture was an effective therapy for certain medical conditions, especially those involving nausea and pain and should be integrated into standard medical practice. In particular, headaches, nausea, menstrual cramps, low back pain and dental analgesia were some of the medical conditions acupuncture was considered useful for.

The most common use for acupuncture in the U.S. is pain, with headache as the most frequent complaint in doctors' offices review of symptoms, and the most frequent reason for use of over-the-counter medications. U.S. and Chinese studies have shown acupuncture and acupressure therapy useful for pain and headache in particular. The use of acupressure therapy for headaches in the hands of the lay public could greatly enhance the treatment of headaches by a simple inexpensive technique with virtually no negative side effects.

Acupressure is a direct offshoot of acupuncture wherein one or more known points on the surface of the skin receive pressure instead of having a needle inserted. The concept remains the same, re-institute balanced energy flow as treatment of a malady caused by an imbalance in the energy flow through the body.

Acupuncture and acupressure points are at anatomically defined areas of the skin along 12 meridians, or lines of energy flow. In addition, further research has determined that there are several areas on the surface of the skin where the entire body is represented as a homunculus. Several areas incorporating a homunculus representation are the ears, hands, and soles of the feet.

Acupuncture and acupressure to portions of the ear, hand, or sole of the foot effects a corrective energy change in the part of the body represented by that part of the homunculus.

Several acupressure devices are known in the art. A few are U.S. Patent Nos. 3,866,597; 3,886,939; 3,987,787; and 4,022,189, and all issued to Boxer. The devices disclosed make use of one or more small rigid objects that are applied by the user to one or more particular points of the user's body. The devices disclosed are either square or rectangular in shape and they either have a single small object in the center or several spread randomly across the surface of

the device. Each of these devices requires that either the user or a helper have considerable knowledge and experience in determining where and how to place the objects on the user's skin. U.S. Patent No. 3,901,234 issued to Yazawa discloses a similar device to that of Boxer, but adds a medicated adhesive layer.

5 U.S. Patent No. 4,098,277 issued to Mendell discloses a custom molded, and expensive, device for use in a person's ear that bears one or more blunt protrusions of the mold surface as acupressure points. Such a device is limited to use by only the person for which the device is molded and requires skilled help in fabricating the device. Placement of the acupressure points on the device
10 is permanent. A single patient would require any number of individual custom molded devices, each device having a different pattern of acupressure points corresponding to treatment of differing maladies, in order to treat the different maladies that one person may encounter over time.

Another device is disclosed in U.S. Patent No. 4,073,296 issued to
15 McCall wherein the device is a custom molded piece, again for a single individual's ear. This device incorporates nodules inserted into the surface of the molded device to achieve the acupressure effect. Like the Mendell device, this device requires one of high skill to construct the device for proper fit and each mold can only treat the one specific malady intended.

20 What is needed is a device that is relatively inexpensive and easy enough to be applied by the user without need to involve an expert in acupressure in the process. The device will conform and mold easily to the user's skin surface. Different shapes of the device have uses outside of placement on, or about, the user's ear. For example, different shaped devices can be used at other
25 acupressure, therapy, or reflex points on the body, with each shape keyed to a particular anatomical surface shape that is readily identifiable to the user, thus providing easy accurate placement of the device.

Summary of the Invention

The invention provides an acupressure device for use on a selected skin
30 surface portion of a human body, the device comprising:

a thin flexible base sheet having a first side, a second side and a margin, the margin having at least a portion shaped as an orienting margin, wherein the

orienting margin is shaped to correspond to a shape on or adjacent to the selected skin surface portion when the base sheet is placed on the selected body surface;

an adhesive layer on the first side of the base sheet suitable for attaching the base sheet to the selected skin surface portion; and

5 at least one bead on the adhesive layer suitable for positioning against the selected body surface for providing acupressure to at least a portion of the selected body surface. An acupressure device of the invention can conveniently further comprise one or more release films, suitable to cover the adhesive layer and bead(s) and suitable to be removed prior to application of the device.

10 An object of the present invention is to provide a device that may be applied by any user with out any need for formal training in acupressure treatment or anatomy. Such a device anticipates construction with materials that are medically approved and hypoallergenic.

 Another object of the present invention is to provide a device that is
15 capable of adapting to a number of different treatments. This is accomplished by using any number of beads, in any number of different patterns, appropriate for any number of individual maladies and pains. The various different numbers of patterns are keyed to the corresponding orienting margins, which are then alignable to the appropriate anatomical landmark. This is to ensure that the
20 proper treatment is applied to the proper skin area corresponding to the anatomical landmark.

 These and other objects of the present invention and many of the attendant advantages of the present invention will be readily appreciated as the same become better understood by reference to the following detailed
25 description when considered in connection with the accompanying drawings.

 The invention also provides a kit of parts comprising a device as described herein, packaging material, and instructions for use in acupressure. The instructions may preferably comprise one or more pictures illustrating how to align the orienting margin with the shape on or adjacent to the selected skin
30 surface.

 The invention also provides the use of a device as described herein in acupressure.

The invention also provides the use of a device as described herein for application of pressure to an acupressure, therapy, or reflex point on the skin of a human.

5 The invention also provides a method for applying pressure to one or more selected points on a selected skin surface portion of a human body comprising aligning an orienting margin of a device as described herein with a corresponding shape on or adjacent to said skin surface portion, conforming the shape of the device to the intended site of adhesion and causing adhesion of the device, wherein said adhesion of the device results in the application of pressure
10 to said selected points.

The invention also provides a method for correcting an energy flow imbalance in a human comprising applying a device as described herein to an acupressure point on the skin of said human.

15 The invention also provides a method for producing an increased sense of well-being in a human comprising applying a device as described herein to a selected skin surface portion of said human.

The invention also provides a method for treating a condition selected from headache, premenstrual syndrome, stress, anxiety, muscular-skeletal pain, allergies, and depression, in a human, comprising applying a device as described
20 herein to a selected skin surface portion of said human.

The invention also provides a method for promoting weight loss (or alleviating a desire to eat) in a human comprising applying a device as described herein to a selected skin surface portion of said human.

25 The invention also provides a method for promoting smoking cessation (or alleviating a desire to smoke) in a human comprising applying a device as described herein to a selected skin surface portion of said human.

The methods of the invention described herein may further comprise applying external pressure one or more times to the applied device. Such external pressure may be applied when an undesirable symptom of a condition
30 to be treated appears or worsens. The external pressure may also be applied to alleviate an immediate desire to eat or smoke. External pressure can conveniently be applied, for example, by pinching a device of the invention against the skin surface to which it is attached. Additionally, external pressure

can conveniently be applied multiple times over a period of time (e.g. hours or days).

Brief Description of the Drawings

Figure 1 is a bottom plan view of an embodiment of the present
5 invention;

Figure 2 is a side elevational view of the embodiment depicted in Figure
1;

Figure 3 is a top plan view of the embodiment depicted in Figure 1
showing the relationship of the device to a specific anatomic landmark;

10 Figure 4 is a top plan view of an alternative embodiment of the present
invention shown in relationship to a specific anatomic landmark;

Figure 5 is a side elevational view of the embodiment depicted in Figure
4 shown in position in relationship to a specific anatomic landmark;

Figure 6 is a bottom plan view of an additional alternative embodiment
15 of the present invention;

Figure 7 is a top plan view of the embodiment depicted in Figure 6
shown in relationship to a specific anatomic landmark;

Figure 8 is a bottom plan view of another additional alternative
embodiment of the present invention;

20 Figure 9 is a partial plan view of the embodiment depicted in Figure 8
shown wrapping over a specific anatomic landmark;

Figure 10 is a side elevational view of the embodiment of Figure 8 shown
in relationship to a specific anatomic landmark;

Figure 11, for reference, depicts a ventral view of a homunculus
25 representation found on the palmar surface of a human hand;

Figure 12, for reference, depicts a dorsal view of a homunculus
representation found on the dorsal surface of a human hand;

Figure 13 depicts a top plan view of a further additional embodiment of
the present invention aligned with a specific anatomic relationship as shown by
30 the arrows as to where the device is to be placed on the skin;

Figure 14 depicts a top plan view of an another further additional
embodiment of the present invention aligned with a specific anatomic

relationship as shown by the arrows as to where the device is to be placed on the skin;

Figure 15 depicts a top plan view of yet another further additional embodiment of the present invention aligned with a specific anatomic relationship as shown by the arrows as to where the device is to be placed on the
5 skin; and

Figure 16 depicts a top plan view of yet another further additional embodiment of the present invention aligned with a specific anatomic relationship as shown by the arrows as to where the device is to be placed on the skin.

10 Figure 17 depicts a device which is further embodiment of the invention and illustrates how the device can be applied to tragus.

Detailed Description of the Invention

In reference to the various Figures, wherein like reference numbers refer to like components throughout the various Figures, there is disclosed an
15 embodiment of the present invention is depicted in Figures 1 and 2 as an acupressure patch 20 comprising a base sheet 22 and at least one bead 24. Base sheet 22 includes an adhesive layer 26, an opposite outer surface 28 and a peripheral margin 30. Peripheral margin 30 includes an orienting margin 32 that is at least a portion of peripheral margin 30. As depicted in Figure 2a and 2b, a
20 release film 29 can be placed over adhesive layer 26 at the time of manufacture. For example, the release layer may cover the at least one bead 24 (figure 2a) or may comprise perforations allowing the at least one bead 24 to project through the release layer (Figure 2b). The purpose of a release film is to provide for convenient packaging and to prevent premature, inadvertent or undesired
25 application of acupressure patch 20. The types and uses of release films are well known in the art.

Base sheet 20 may be manufactured from a number of different materials ranging from a cloth to a film. Various cloths useful as a base sheet include weaves made from synthetic or natural fibers, or a blend of both. Useful fibers
30 include cotton, Dacron, polyester, and nylon. Alternatively, the base sheet may be a film made from natural or synthetic polymers and copolymers including cellulose, cellulose acetate, polyurethane, polyvinyl chloride, polyester, polypropylene, polyethylene, polytetrafluoroethylene, and various silicones and

siloxane polymers. The film may be also be a foamed plastic. Preferably, the material used for base sheet 22 is of medical grade material desirable for its biocompatibility and is hypoallergenic. Specifically, the flexible base sheet can conveniently comprise a synthetic polymeric film, synthetic polymeric fibers in a
5 woven fabric, or natural fibers in a woven fabric.

The at least one bead 24 may include any number of beads from one to greater than ten, or even twenty beads arranged in a pattern intended for any number of possible treatment patterns, examples of which are to be explained below. Spacing of the beads is also dependent on the intended therapy and the
10 site of on the skin the acupressure patch is to be placed. The size of the beads may vary in diameter from less than about 0.5 mm to greater than about 2 mm. Specifically, the device of the invention can conveniently comprise two or more beads, three or more beads, four or more beads, or five or more beads.

The beads may be manufactured from a number of different materials
15 including metals, metal alloys, various ceramics and glasses, hard rubbers, and hard polymers. Useful metals include iron, titanium, stainless steel, nickel, copper, tin, zinc, platinum, gold and silver, and the various alloys attainable with these metals. A choice of metal or metal alloy may also depend on whether it is desired to include magnetic therapy using a magnetized metal or alloy with the
20 use of the acupressure patch.

Adhesive layer 26 may be constructed from various adhesives in the form of pressure sensitive adhesives that are well known to the art. Choice of an appropriate adhesive is guided by a desire to provide a medical grade, biocompatible, and hypoallergenic adhesive with good adhesive quality.
25 Adhesive layer 26 is also useful in adhering at least one bead 24 to base sheet 22.

Peripheral margin 30 includes at least a portion of peripheral margin 30 as orienting margin 32. The present invention contemplates the use various surface anatomic landmarks adjacent to known meridian points and homunculus representations to shape orienting margin to conform to the various surface
30 anatomic landmarks of interest. By way of example, it is known that a person's head is represented on a portion of the person's pinna very near the anatomic landmark identified as the antitragus. The points of interest to the head correspond to therapy points used in acupressure to promote relief from

headache occurring in those areas of the head so represented. This pattern of representation and the pattern's spatial relationship to the antitragus is uniform from one person to the next. Therefore, orienting margin 32 may be shaped to contour the base of the antitragus, and at least one bead 24 may be positioned on
5 base sheet 22 relative to orienting margin 32 to correspond to at least one therapy point in the vicinity of the antitragus. Just such an example using six known therapy points is depicted in Figure 3.

As shown in Figure 3, on the outer surface of a person's pinna near the antitragus and just superior to the lobe of the pinna there are represented at least
10 six ipsilateral areas of the corresponding skull. These six areas are frontal skull F, temporal skull T, occipital skull O, vertex of skull V, frontal sinus FS, and master sensorial MS. Note the spatial relationship of these six areas to the antitragus. Orienting margin 32 is shaped to conform to the outline of the base of the antitragus and six beads 24 are positioned across the surface of base sheet
15 22 to correspond to the six areas of the skull. When the user positions orienting margin 32 to conform to the base of the antitragus, the six beads 24 will then align with the six areas of the skull represented there on the surface of the pinna. Thus, even a user untrained in the art of acupressure successfully accomplishes acupressure therapy.

20 Figure 4 depicts a variation of the embodiment of the present invention wherein orienting margin 32 extends an accessory lobe 34 to an adjacent therapy point. In this example, accessory lobe 34 is extended to the therapy point on the inner surface of the pinna representing area subcortex SC by folding accessory lobe 34 over the rim the anithelix of the pinna to reach SC. Figure 5 shows a
25 side elevational view depicting how this positioning is accomplished.

A majority of the surface of a person's pinna represents the body in the form of a homunculus. As noted above, various areas of a person's ipsilateral skull area represented by therapy points proximate the antitragus. Figure 6 discloses an acupressure patch 40 having an orienting margin 42 and at least one
30 bead 44. In Figure 7, there is shown the representative points of the body for the uterus point UP and the chainman SM which are found near the inner margin of the helix. Acupressure patch 40 is positioned with orienting margin 42 adjacent

the inner margin of the helix to position beads 44 over the therapy points UP and SM.

Another example is depicted in Figures 8-10 disclosing an acupressure patch 50 having an orienting margin 52 in the shape of a wasp waste and at least one bead 54. Represented on the surface of a person's pinna are two antidepressant areas AD1 and AD2. These two areas are opposite each other over the rim of the antihelix proximate the point where the antihelix meets the edge of the antitragus. Orienting margin 52 fits within the hollow found at the junction between the antihelix and antitragus thus positioning acupressure patch 50 and its associated beads 54 over therapy points 1 and 2.

Also contemplated by the present invention, but not depicted, is the addition of a layer of medicament or a medicament that can be mixed or blended into the base sheet material. The layer may be to either surface of the base sheet depending on the material used in the base sheet and film versus weave construction. The medicament is then available to the wearer of the device, for absorption through their skin, as an additional adjunct to the acupressure effects provided by the at least one bead. Examples of useful medicaments include camphor, tiger balm, wintergreen or other pharmacological agents for transdermal or topical use.

In a preferred device of the invention the selected skin surface portion of a human body is the tragus, and the device comprises a tab suitable for adhering to the back of the tragus, and an orienting margin shaped to correspond to the front of the tragus when the base sheet is placed on the surface of the ear (see Figure 17). Such a device is particularly useful for promoting weight loss or smoking cessation.

The previous description is exemplary of a few of the many embodiments contemplated by the present invention for use on or about the ear. The use of an orienting margin can be extended to any surface area of the human body. For example, as shown diagrammatically in Figures 11 and 12, the body is represented in homunculus form on the surface of the hand. In Figure 11, on the palmar surface one notes the representation of the ventral surface and internal organs of the human. In Figure 12, the dorsal aspect of the body is represented on the extensor surface of the hand. These maps are uniform from one person to

the next. The present invention, using the orienting margin concept, provides for any number of acupressure patches that can be placed reproducibly, by anyone regardless of level of skill in the art of acupressure.

Figures 13-16 depicted representative examples of the various types of embodiments contemplated by the present invention for exploiting the known acupressure and acupuncture sites on the human body. Figure 13 depicts an acupressure patch 60 having an orienting margin 62,62' and at least one bead 64 shown in phantom as being on the other side of acupressure patch 60. Such an acupressure patch is useful for placing beads in a pattern for treating anterior portions of the head, face, neck and upper chest. The pattern of beads used is variable, depending on the area of the body desired to be treated by acupressure to the equivalent homunculus area, and is not a limiting factor in the present invention. Orienting margin 62,62' is used to align acupressure patch 60 to the user's finger. In Figure 13, orienting margin 62,62' is used to align acupressure patch 60 so orienting margin 62,62' is between the user's metacarpophalangeal joint MCPJ and the proximal interphalangeal joint PIPJ. The several arrows show how the device is moved into place relative to the MCPJ, PIPJ and the distal interphalangeal joint DIPJ. The long axis of acupressure patch 60 is aligned along the midline of the finger.

Figure 14 depicts an acupressure patch 70 as an embodiment of the present invention useful for treating disorders associated with the back of the head and spine. Acupressure patch 70 includes an orienting margin 72,72' and at least one bead 74. In this embodiment, orienting margin 72,72' is aligned with the plane of the DIPJ on the extensor surface of the user's finger and the long axis of acupressure patch 70 is aligned along the midline of the finger.

Figure 15 depicts another variation of an embodiment of the present invention as an acupressure patch 80 having an orienting margin 82,82' and at least one bead 84. Orienting margin 82,82' is aligned between two joints, in this example between the PIPJ and the DIPJ. The long axis is again aligned with the midline of the finger.

Figure 16 depicts an acupressure patch 90 having an orienting margin 92,92' and at least one bead 94. This embodiment depicts one use of an orienting margin for obtaining alignment of an acupressure patch to the contours of a

user's palm. Orienting margin 92,92' is used to align acupressure patch 90 along the midline of a digit, to the MCPJ of that digit, and to the web areas between the digit and the two digits to either side.

Figure 17 depicts a human ear and a tragus 102. A device of the invention 104 comprising one or more beads 106, an orienting margin 108, 108' that is suitable to orient the beads to selected therapy points on the tragus, and a tab 110 that is suitable for adhering to the back of the tragus. The orienting margin is aligned on the tragus and the device applied to the ear with the tab toward the interior of the ear 112. The tab is folded around to the back of the tragus to complete placement of the device 114.

According to the invention, the base sheet may comprise a tab, suitable to wrap around a portion of the body adjacent to the selected skin surface, and adhere when the device is applied, thus providing a compression which increases the contact between the body surface and the at least one bead. For example, a device comprising such a tab is illustrated in Figure 17.

There are other areas, including homunculus equivalent areas, elsewhere on the surface of a body. In particular, there are twelve meridians and the homunculi of the feet and nose may also be approached for treatment with a device of the present invention. The number of possible embodiments is extensive and overly burdensome to depict and describe each and every one. The principles of the present invention have been presented and depicted herein.

The foregoing description is considered as illustrative only of the principles of the invention, and since numerous modifications and changes will readily occur to those skilled in the art, it is not the inventor's desire to limit the invention to the exact construction and operation shown and described herein. Accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the present invention.

What is claimed is:

1. An acupressure device for use on a selected skin surface portion of a human body, the device comprising:

a thin flexible base sheet having a first side, a second side and a margin, the margin having at least a portion shaped as an orienting margin, wherein the orienting margin is shaped to correspond to a shape on or adjacent to the selected skin surface portion when the base sheet is placed on the selected body surface;

an adhesive layer on the first side of the base sheet suitable for attaching the base sheet to the selected skin surface portion; and

at least one bead on the adhesive layer suitable for positioning against the selected body surface for providing acupressure to at least a portion of the selected body surface.

2. The device of claim 1 where in the flexible base sheet comprises a synthetic polymeric film, synthetic polymeric fibers in a woven fabric, or natural fibers in a woven fabric.

3. The device of claim 1 wherein the at least one bead comprises a metal or metal alloy.

4. The device of claim 3 where in the metal or metal alloy is selected from the group consisting of iron, titanium, stainless steel, nickel, copper, tin, zinc, platinum, gold, and silver.

5. The device of claim 1 where in the at least one bead comprises a polymeric compound, a ceramic compound, a glass compound, or a rubber compound.

6. The device of as described in any one of claims 1 to 5 wherein the base sheet comprise a tab, suitable to wrap around a portion of the body adjacent to the selected skin surface, and adhere when the devise is applied, thus providing a

compression which increases the contact between the body surface and the at least one bead.

7. The device as described in any one of claims 1 to 5 wherein the selected skin surface portion of a human body is the tragus, said device comprising a tab, suitable for adhering to the back of the tragus, and an orienting margin shaped to correspond to the front of the tragus when the base sheet is placed on the selected body surface.

8. The device as described in claim 7 wherein the flexible base sheet comprises a synthetic polymeric film, synthetic polymeric fibers in a woven fabric, or natural fibers in a woven fabric; and wherein the at least one bead comprises iron, titanium, stainless steel, nickel, copper, tin, zinc, platinum, gold,
5 or silver.

9. The device of any one of claims 1 to 8 comprising two or more beads.

10. The device of any one of claims 1 to 9 further comprising a release film.
10

11. A kit of parts comprising a device as claimed in any one of claims 1 to 10, packaging material, and instructions for use in acupressure.

12. The kit of claim 11 wherein the instructions comprise one or more
15 pictures illustrating how to align the orienting margin with the shape on or adjacent to the selected skin surface.

13. Use of a device as claimed in any one of claims 1 to 10 in acupressure

20 14. Use of a device as claimed in any one of claims 1 to 10 for application of pressure to an acupressure, therapy or reflex point on the skin of a human.

15. A method for applying pressure to one or more selected points on a selected skin surface portion of a human body comprising aligning an orienting

margin of a device as defined in any one of claims 1 to 10 with a corresponding shape on or adjacent to said skin surface portion, conforming the shape of the device to the intended site of adhesion and causing adhesion of the device, wherein said adhesion of the device results in the application of pressure to said
5 selected points.

16. A method for correcting an energy flow imbalance in a human comprising applying a device as defined in any one of claims 1 to 10 to an acupressure point on the skin of said human.

10

17. A method for producing an increased sense of well-being in a human comprising applying a device as defined in any one of claims 1 to 10 to a selected skin surface portion of said human.

15 18. A method for treating a condition selected from headache, premenstrual syndrome, stress, anxiety, muscular-skeletal pains, allergies, and depression, in a human comprising applying a device as defined in any one of claims 1 to 10 to a selected skin surface portion of said human.

20 19. A method for promoting weight loss in a human comprising applying a device as defined in any one of claims 1 to 10 to a selected skin surface portion of said human.

20. A method for promoting smoking cessation in a human comprising
25 applying a device as defined in any one of claims 1 to 10 to a selected skin surface portion of said human.

21. The method of any one of claims 15 to 20 further comprising applying external pressure one or more times to said device on the skin.

30

22. The method of claim 18 further comprising applying external pressure to said device when a symptom of said condition appears or worsens.

23. The method of claim 19 further comprising applying external pressure to said device to alleviate an immediate desire to eat.
24. The method of claim 20 further comprising applying external pressure to
5 said device to alleviate an immediate desire to smoke.
25. The method of any one of claims 21 to 24 wherein the external pressure is applied by pinching said device against said skin surface portion.
- 10 26. The method of claim 21 wherein the external pressure is applied multiple times over a period of hours.
27. An acupressure device as claimed in claim 1, substantially as described herein with reference to the drawings.

15

Fig. 1



Fig. 2




Fig. 2a




Fig. 2b




Fig. 3




Fig. 4





Fig. 5









Fig 11




Fig 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16





Fig. 17 7/7



INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/24183

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61H39/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 022 189 A (BOXER) 10 May 1977 (1977-05-10) cited in the application column 1, line 10 - line 33; figures	1, 11, 13, 14
A	US 4 073 296 A (MCCALL) 26 July 1977 (1977-07-26) cited in the application abstract; figures	1, 11, 13, 14
A	US 4 098 277 A (MENDELL) 4 July 1978 (1978-07-04) cited in the application abstract; figures	1, 11, 13, 14
-/-		



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

13 March 2000

Date of mailing of the international search report

21/03/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Jones, T

INTERNATIONAL SEARCH REPORT

Inter nal Application No
PCT/US 99/24183

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 100 050 A (BLUM) 8 February 1984 (1984-02-08) page 2, line 18 - line 26; figures abstract	1,11,13, 14
P,A	----- PATENT ABSTRACTS OF JAPAN vol. 1999, no. 05, 31 May 1999 (1999-05-31) & JP 11 042268 A (APOLLO IRYOKI KK), 16 February 1999 (1999-02-16) abstract -----	1,11,13, 14

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/24183

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 15-16
because they relate to subject matter not required to be searched by this Authority, namely:
RULE 39,1(1v) PCT - Method for treatment of the human or animal body by therapy
2. ☒ Claims Nos.: 27
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
RULE 6.1(a) PCT - References to other parts of the international application.
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this International application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US 99 24183

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 27

Rule 6.1(a) PCT - References to other parts of the international application

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

International Application N . PCT/ US 99 /24183

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box 1.2

Claims NOS: 27

RULE 6.1(a) PCT - References to other parts of the international application.

The applicant's attention is drawn to the fact that, claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not to be the subject of an international preliminary examination (rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/US 99/24183

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4022189 A	10-05-1977	US 3886939 A FR 2312230 A ZA 7602968 A	03-06-1975 24-12-1976 27-04-1977
US 4073296 A	14-02-1978	NONE	
US 4098277 A	04-07-1978	NONE	
EP 100050 A	08-02-1984	DE 3227505 A DE 3227506 A DE 3234339 A	26-01-1984 26-01-1984 10-05-1984
JP 11042268 A	16-02-1999	NONE	